




# ROLLER MILL GUIDE



**“PTO ROLLER MILL”**

**RMC2242 Roller Mill w/1:1 Roll Drive – Beef**  
*Side & Front Operational Views of RMC2242 PTO Roller Mill w/Conventional/Cage Style Infeed Auger & Manually Adjustable/Non-Folding Discharge Auger*



**FEATURES**

- ❖ 16" Dia. Chill Cast Rolls w/choice of 4, 5, 6, 8, 10, 12 or 15 Grooves per Inch (GPI)
- ❖ Worm Drive Roll Adjustment
- ❖ Leaf Spring Roll Protection
- ❖ Top Hopper with Grate Magnet
- ❖ 540 PTO with Shear Bolt Protection
- ❖ Undercarriage (Axle, Tires & Hubs)

**ITEM #            DESCRIPTION**

<b>RMC2242</b>	<p>In addition to the features listed above the RMC2242 1:1 Roll Drive (Beef) Roller Mill includes an 8" x 10' Conventional/Cage Style Hydraulic Infeed Auger and a 10" x 12' Manual Adjustable Non-Folding Mechanically Driven Discharge Auger</p>
----------------	---

**“PTO ROLLER MILL”**

**RMT2242 Roller Mill w/1:1 Roll Drive – Beef**

**Transport View of RMT2242 PTO Roller Mill, *Transfer Style Infeed Auger w/Hydraulic Lift/Swing, & Hydraulic Tilt and Fold Discharge Auger***



- ❖ **Transfer Style Infeed Auger (Bottom Hopper Style), are designed for loading from dump trucks & trailers, NOT designed for loading directly from semi/grain trucks.**

**FEATURES**

- ❖ **16" Dia. Chill Cast Rolls w/choice of 4, 5, 6, 8, 10, 12 or 15 Grooves per Inch (GPI)**
- ❖ **Worm Drive Roll Adjustment**
- ❖ **Leaf Spring Roll Protection**
- ❖ **Top Hopper with Grate Magnet**
- ❖ **540 PTO with Shear Bolt Protection**
- ❖ **Undercarriage (Axle, Tires & Hubs)**

ITEM #	DESCRIPTION
RMT2242	In addition to the features listed above the RMT2242 1:1 Roll Drive (Beef) Roller Mill includes an 8” x 12’ Folding Hydraulic Transfer Style Infeed Auger w/Hydraulic Lift & Swing and a 10” x 12’ Hydraulic Tilt/Fold Mechanically Driven Discharge Auger



**“PTO ROLLER MILLS”**

**RM2362 36” Roller Mill w/1:1 Roll Drive – Beef  
&**

**RM2363 36” Roller Mill w/Differential Drive – Dairy**

**Operational View of 36” PTO Roller Mill w/12” x 13’ Low Profile  
Folding Infeed Auger w/Hydraulic Lift & Swing & 12” x 12’  
Hydraulic Mechanically Driven Discharge Auger**



**FEATURES**

- ❖ 1:1 Mill features 16" Dia. Chill Cast Rolls w/choice of 4, 5, 6, 8, 10, 12 or 15 Grooves per Inch (GPI)
- ❖ Differential Mill features 16" Dia. Chill Cast Rolls w/choice of 4, 5, 6, 8 or 10 Grooves per Inch (GPI) w/40% Differential Drive
- ❖ Worm Drive Roll Adjustment
- ❖ Leaf Spring Roll Protection
- ❖ Top Hopper with Grate Magnet
- ❖ Undercarriage (Axle, Tires & Hubs)

ITEM #	DESCRIPTION
RM2362	In addition to the features listed above, the RM2362 1:1 Roll Drive (Beef) Roller Mill includes a 12” x 13’ Low Profile Folding Infeed Auger w/Hydraulic Lift & Swing, and a 12” x 12’ Hydraulic Tilt/Fold Mechanically Driven Discharge Auger. 540 PTO with Shear Bolt Protection only.
RM2363	In addition to the features listed above, the RM2363 Differential Drive (Dairy) Roller Mill includes a 12” x 13’ Low Profile Folding Infeed Auger w/Hydraulic Lift & Swing, and a 12” x 12’ Hydraulic Tilt/Fold Mechanically Driven Discharge Auger. Choice of 540 or 1000 RPM PTO with Shear Bolt Protection



**“PTO ROLLER MILL”**

**RM2482 48” Roller Mill w/1:1 Roll Drive – Beef**

**Operational View of RM2482 PTO Roller Mill w/1:1 Roll Drive, 12” x 13’ Low Profile Folding Infeed Auger w/Hydraulic Lift & Swing & 14” x 12’ Hydraulic Tilt/Folding Mechanically Driven Discharge Auger**



**FEATURES**

- ❖ 16" Dia. Chill Cast Rolls w/choice of 4, 5, 6, 8, 10, 12 or 15 Grooves per Inch (GPI)
- ❖ Worm Drive Roll Adjustment
- ❖ Leaf Spring Roll Protection
- ❖ Top Hopper with Grate Magnet
- ❖ 540 PTO with Shear Bolt Protection
- ❖ Undercarriage (Axle, Tires & Hubs)

**ITEM #      DESCRIPTION**

<b>RM2482</b>	<b>In addition to the features listed above, the RM2482 1:1 Roll Drive (Beef) Roller Mill includes a 12” x 13’ Low Profile Folding Infeed Auger w/Hydraulic Lift &amp; Swing, and a 14” x 12’ Hydraulic Tilt/Folding Mechanically Driven Discharge Auger</b>
---------------	--



**“PTO ROLLER MILL”**

**RM2483 48” Roller Mill w/Differential Drive – Dairy**

*Operational View of RM2483 PTO Roller Mill w/Differential Roll Drive, 12” x 13’ Low Profile Folding Infeed Auger w/Hydraulic Lift & Swing & 12” x 12’ Hydraulic Tilt/Folding Mechanically Driven Discharge Auger*



**FEATURES**

- ❖ Differential Mill features 16" Dia. Chill Cast Rolls w/choice of 4, 5, 6, 8 or 10 Grooves per Inch (GPI)
- ❖ 40% Differential Drive
- ❖ Worm Drive Roll Adjustment
- ❖ Leaf Spring Roll Protection
- ❖ Top Hopper with Grate Magnet
- ❖ 1000 PTO with Shear Bolt Protection
- ❖ Undercarriage (Axle, Tires & Hubs)

**ITEM #      DESCRIPTION**

RM2483	In addition to the features listed above, the RM2483 Differential Roll Drive (Dairy) Roller Mill includes a 12” x 13’ Low Profile Folding Infeed Auger w/Hydraulic Lift & Swing, and a 12” x 12’ Hydraulic Tilt/Fold Mechanically Driven Discharge Auger
--------	--



**“POWER BEYOND ROLLER MILL”**

**RM4361 36” Roller Mill w/1:1 Roll Drive – Beef**

**&**

**RM4360 36” Roller Mill w/Differential Drive – Dairy**

**Operational View of a 36” Power Beyond Roller Mill with a 12” x 10’ Transfer Style Infeed Auger and a 12” x 10’ Rigid Angled Discharge Auger**



- ❖ Transfer Style Infeed Auger (Bottom Hopper Style), are designed for loading from dump trucks and trailers, **NOT** designed for loading directly from semi/ grain trucks.

**FEATURES**

- ❖ 1:1 Mill features 16" Dia. Chill Cast Rolls w/choice of 4, 5, 6, 8, 10, 12 or 15 Grooves per Inch (GPI)
- ❖ Differential Mill features 16" Dia. Chill Cast Rolls w/choice of 4, 5, 6, 8 or 10 Grooves per Inch (GPI) w/40% Differential Drive
- ❖ Worm Drive Roll Adjustment
- ❖ Leaf Spring Roll Protection
- ❖ Top Hopper with Grate Magnet
- ❖ 540 PTO with Shear Bolt Protection
- ❖ Undercarriage (Axle, Tires & Hubs)
- ❖ HD Hydraulic Feed Auger Lift & Swing

ITEM #	DESCRIPTION
RM4361	In addition to the features listed above, the RM4361 1:1 Roll Drive (Beef) Roller Mill includes a 12” x 10’ Transfer Style Infeed Auger Hydraulic Lift & Swing, and a 12” x 10’ Rigid Angled Mechanical Discharge Auger w/Swivel Head
RM4360	In addition to the features listed above, the RM4360 Differential Drive (Dairy) Roller Mill includes a 12” x 10’ Transfer Style Infeed Auger Hydraulic Lift & Swing, and a 12” x 10’ Rigid Angled Mechanical Discharge Auger w/Swivel Head




**“POWER BEYOND ROLLER MILL”**

**RM4481 48” Roller Mill w/1:1 Roll Drive – Beef**

**&**

**RM4482 48” Roller Mill w/Differential Drive – Dairy**

*Operational Views of a 48” Power Beyond Roller Mill with a 12” x 10’ Transfer Style Infeed Auger and a 14” x 10’ Rigid Angled Discharge Auger*



- ❖ Transfer Style Infeed Auger (Bottom Hopper Style), are designed for loading from dump trucks and trailers, **NOT** designed for loading directly from semi/ grain trucks.

**FEATURES**

- ❖ 1:1 Mill features 16" Dia. Chill Cast Rolls w/choice of 4, 5, 6, 8, 10, 12 or 15 Grooves per Inch (GPI)
- ❖ Differential Mill features 16" Dia. Chill Cast Rolls w/choice of 4, 5, 6, 8 or 10 Grooves per Inch (GPI) w/40% Differential Drive
- ❖ Worm Drive Roll Adjustment
- ❖ Leaf Spring Roll Protection
- ❖ Top Hopper with Grate Magnet
- ❖ 540 PTO with Shear Bolt Protection
- ❖ Undercarriage (Axle, Tires & Hubs)
- ❖ HD Hydraulic Feed Auger Lift & Swing

ITEM #	DESCRIPTION
RM4481	In addition to the features listed above, the RM4481 1:1 Roll Drive (Beef) Roller Mill includes a 12” x 10’ Transfer Style Infeed Auger Hydraulic Lift & Swing, and a 14” x 10’ Rigid Angled Mechanical Discharge Auger w/Swivel Head
RM4480	In addition to the features listed above, the RM4480 Differential Drive (Dairy) Roller Mill includes a 12” x 10’ Transfer Style Infeed Auger Hydraulic Lift & Swing, and a 14” x 10’ Rigid Angled Mechanical Discharge Auger w/Swivel Head