



**CHASSIS**



---

***STRONG | EFFICIENT | RELIABLE***

---

**HSMFGCO.COM**



# CHASSIS

## CH3222 / CH3100 / CH4100 SERIES



CH3130



CH4130



### BULLNOSE HITCH

- A bullnose hitch is standard on the CH3130, CH4126 and CH4130 suspension chassis.
- The CH3222, CH3126 have your choice of swivel clevis, pintle or bullnose hitch.



### BRAKE READY

- All CH4100 models are brake ready and built for the optional hydraulic brake cylinder package we offer.

### OTHER OPTIONS

- 6 or 8 point scale system with monitor
- Choice of tire and rim packages



CH3126



CH4126

### FORAGE BOX CHASSIS MOUNTING CHART

FORAGE BOX MODEL	HC3122	HC3126	HC3130	HC4126	HC4130
WB8220A	X				
WB8222A	X				
WB8222	X				
WB8224		X		X	
WB8226		X		X	
WB8230			X		X
BD1226		X		X	
BD1230			X		X





	CH3222	CH3126	CH3130	CH4126	CH4130
Overall length	25' 9"	30' 3"	34' 11 1/4"	32' 6 1/4"	37' 3/8"
Capacity	42,000 Lbs.	48,000 Lbs.	60,000 Lbs.	52,000 Lbs.	60,000 Lbs.
Hubs	8 B - 8,000 Lb.	10 B - 12,000 Lb.	10 B - 15,000 Lb.	10 B	
Tandem	Oscillating Walking Beam			-	
Suspension	-			26 Ton spring	32 Ton spring
Axle rating	-			13 Ton/axle	15 Ton/axle
Tread width	90"			94 1/2"	95"
Hitch	Choice of swivel clevis, bullnose or pintle		Bullnose		
Jack	Standard				
Brake option	4-Wheel electric activated over hydraulic brake system w/ cab control box			Hydraulic brake cylinder package	
Scale option	6-Point scale system w/ monitor	8-Point scale system w/monitor			
Tire/Rim choices	22.5 x 13.5 silver rims w/425 x 22.5 used truck tires  600/50 x 22.5 16 ply tires/silver rims		700x50 x 22.5 16 ply tires/silver rims	600/50 x 22.5 flotation tires/silver rims  700/50 x 22.5 radial flotation tires/silver rims  710/45R22 radial flotation tires/silver rims	700/50 x 22.5 radial flotation tires/silver rims  710/45R22 radial flotation tires/silver rims



**PROUDLY BUILT IN MARSHFIELD, WISCONSIN :: HSMFGCO.COM**

